

# Factory Production Control CERTIFICATE

No. 18001292 C005

*In compliance with the Factory Production Control requirements of the  
Building and Construction Authority, Singapore*

**This is to certify that the Factory Production Control system of:**

**YIEH PHUI ENTERPRISE CO., LTD.**

in the factory located at:

Plant 1: No. 369, Yuliao Road,  
Qiaotou District,  
Kaohsiung City 82544,  
Taiwan, R.O.C

Plant 2: No. 6, Industrial 6<sup>th</sup> Road,  
Ping Tung Industrial Park,  
Ping Tung City 90049  
Taiwan, R.O.C.

**has been assessed under the Factory Production Control requirements of  
BC 1:2012 and conforms to its requirements for the production of:**

Hot – Dip Galvanized steel sheet & coil  
Hot – Dip 55% Al-Zn coated steel sheet & coil  
Hot – Dip 5% Al-Zn coated steel sheet & coil  
**As per Annex A**

First issue date:	18 February 2009
Current Issue date:	08 February 2021
Expiry date:	17 February 2024

Singapore , 08 February 2021  
Place, Date



Certification Body

陈振康

Mr. Chen Zhenkang

# ANNEX A-1/3

## To Certificate No. 18001292 C005

Products	Appendix A of BC 1: 2012	Material	Standard Title/Description	Grade	Dimension (Base metal thickness; Width)
Hot-Dip Galvanized steel sheet & coil	A.3.8	JIS G3302: 2019	Hot-dip zinc coated steel sheet and coil	SGH340 SGH400 SGH490 SGH440 SGC340 SGC400 SGH540 SGC440 SGC490	0.7 mm~ 4.5 mm; Max. 1538mm
	A.1.8	EN 10346: 2015	Continuously hot-dip coated strip and sheet of structure steels – Technical delivery conditions	S250GD S350GD S280GD S550GD S220GD S320GD	0.7 mm~ 3.0 mm; Max. 1538mm
	A.1.4			S220GD S250GD S280GD S320GD S350GD	0.35 mm~ 3.0 mm; Max. 1538mm
	A.4.4	AS 1397-2011	Steel sheet and strip hot-dip zinc-coated or aluminum / zinc-coated	Grade 300 Grade 450 Grade 350 Grade 250	0.19 mm~ 4.5 mm; Max. 1538mm
	A.4.8			Grade 550 Grade 350 Grade 450 Grade 500 Grade 250 Grade 300	0.7 mm~ 4.5 mm; Max. 1538mm
	A.2.8	ASTM A653-2020	Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process	SS Grade 255 SS Grade 275 SS Grade 340 SS Grade 380 SS Grade 410 SS Grade 480 SS Grade 550	0.7 mm~ 4.5 mm; Max. 1538mm

Singapore, 08 February 2021  
Place, Date



Certification Body  
  
 Mr. Chen Zhenkang

# ANNEX A-2/3

## To Certificate No. 18001292 C005

Hot-Dip 55% Al-Zn coated steel sheet & coil	A.1.8	EN 10346:2015	Continuously hot-dip coated strip and sheet of structure steels – Technical delivery conditions	S250GD S280GD S320GD S550GD S220GD S350GD	0.7 mm~ 3.0 mm; Max. 1538mm
	A.1.4			S220GD S250GD S280GD S320GD S350GD	0.35 mm~ 3.0 mm; Max. 1538mm
	A.2.4	ASTM A792-2015	Steel Sheet, 55% Aluminum-Zinc Alloy-Coated by the Hot-Dip Process	SS Grade 230 SS Grade 255 SS Grade 275 SS Grade 340 SS Grade 410 SS Grade 480 SS Grade 550	0.3 mm~ 4.5 mm; Max. 1538mm
	A.4.4	AS 1397-2011	Steel sheet and strip hot-dip zinc-coated or aluminum /zinc-coated	Grade 250 Grade 300 Grade 350 Grade 450	0.3 mm~ 4.5 mm; Max. 1538mm
	A.4.8			Grade 550 Grade 250 Grade 300 Grade 350 Grade 450 Grade 500	0.7 mm~ 4.5 mm; Max. 1538mm
	A.3.8	JIS G3321:2019	Hot-dip 55% aluminum-zinc alloy-coated steel sheet and strip	SGLC400 SGLC440 SGLC490	0.7 mm~ 4.5 mm; Max. 1538mm

Singapore, 08 February 2021  
Place, Date

Certification Body

陈振康

Mr. Chen Zhenkang



# ANNEX A-3/3

## To Certificate No. 18001292 C005

Hot-Dip 5% Al-Zn coated steel sheet & coil	A.1.8	EN 10346:2015	Continuously hot-dip coated strip and sheet of structure steels – Technical delivery conditions	S250GD S320GD S220GD S280GD S350GD S550GD	0.7 mm~ 3.0 mm; Max. 1280mm
	A.1.4			S220GD S250GD S280GD S320GD S350GD	0.35 mm~ 3.0 mm; Max. 1280mm
	A2.4	ASTM A875- 2013	Steel Sheet, Zinc-5 % Aluminum Alloy-Coated by the Hot-Dip Process	SS Grade 230 SS Grade 255 SS Grade 340 SS Grade 550	0.20 mm~ 4.5 mm; Max. 1280mm
	A.4.4	AS 1397-2011	Steel sheet and strip hot-dip zinc-coated or aluminum /zinc-coated	Grade 450 Grade 250 Grade 300 Grade 350	0.20 mm~ 4.5 mm; Max. 1280mm
	A.4.8			Grade 250 Grade 300 Grade 350 Grade 450 Grade 500 Grade 550	0.7 mm~ 4.5 mm; Max. 1280mm
	A.3.8	JIS G3317: 2019	Hot-dip zinc-5 % aluminum alloy-coated steel sheet and strip	SZAH340 SZAH400 SZAH440 SZAH490 SZAH540 SZAC340 SZAC400 SZAC440 SZAC490	0.7 mm~ 4.5 mm; Max. 1280mm

Singapore, 08 February 2021  
Place, Date



Certification Body

陈振康  
Mr. Chen Zhenkang